

STEAM CLEANERS

Stainless steel range



Steam Turbo

kW 10,8 17,4 21 21,6 31,8 39



Steam



Vacuum

Steam cleaner

Boiler	Stainless steel AISI 304 with interchangeable heating element						
Body	Stainless steel AISI 304 BA						
Power supply	V - Hz	3~400 - 50 (60Hz on request)					
Boiler output	kW/h	10,8	14,4	18	21,6	28,8	36
Maximum output	kW/h	10,8	17,4	21	21,6	31,8	39
Boiler volume	l	13					
Operating pressure	bar	from 1 to 10					
Water tank	l	14					
Detergent tank	l	14					
Steam production	g/min	291	388	485	582	776	970
	Kg/h	17,5	23	29,1	35	46,5	58
Steam T°	° C	165 - 183					

Vacuum cleaner

Power output	kW/h	3
Drum capacity	l	14 43
Air flow	m3/h	320
Depression	mm	3200

Various

Weight	Kg	151
Power cable	m	8
Machine dimensions	cm	H.166 x L.69 x W. 95,5 vacuum drum 43l
Pallet dimensions	cm	120x80x165
Quantity pallet/unit	pcs	1



Technical features



Operating
Pressure
10 Bar



Water
mains
connection



Water
tank



Detergent
tank



Automatic
water
refilling



Detergent
injection



Overheated
water
injection



Power switch
regulation



Steam
pressure
regulation



Induction
turbine



Control
panel



Boiler
cleaning
signal

Pricelist

Version with 14l drum

kW	CODE	PRICE
10,8 kW	6H06T00 16A plug / 10,8 kW total	\$ 22,469.15
	6H06T10 32A plug / 13,8 kW total	
14,4 kW	6H05T00	\$ 24,432.62
18 kW	6H04T00	\$ 26,420.14
21,6 kW	6H03T00 32A plug / 21,6kW total	\$ 27,567.10
	6H03T10 63A plug / 24,6kW total	
28,8 kW	6H02T00	\$ 32,767.72
36 kW	6H01T00	\$ 37,937.85

Version with 43l drum

kW	CODE	PRICE
10,8 kW	6H06F00 16A plug / 10,8 kW total	\$ 22,542.94
	6H06F10 32A plug / 13,8 kW total	
14,4 kW	6H05F00	\$ 24,511.22
18 kW	6H04F00	\$ 26,498.75
21,6 kW	6H03F00 32A plug / 21,6kW total	\$ 27,645.71
	6H03F10 63A plug / 24,6kW total	
28,8 kW	6H02F00	\$ 32,844.72
36 kW	6H01F00	\$ 38,016.45

Accessories

Steam Turbo can be used with these accessories

Geyser 1-10bar - Steam Remember to apply the accessories on the nozzle and not directly on the lances to limit the pressure drop.

Geyser hose				CODE	PRICE	Geyser lances				CODE	PRICE	Geyser nozzles				CODE	PRICE		
				5m	GE1H050	\$ 1,371.54					100mm	7100011	\$ 105.87						
				8m	GE1H080	\$ 1,653.87					400mm	7100111	\$ 144.37					10,8 kW: Ø2,5 mm	UG71311
				10m	GE1H100	\$ 1,831.93					800mm	7100121	\$ 178.06					14,4 kW: Ø2,9mm	UG71411
				15m	GE1H150	\$ 2,297.12					1200mm	7100131	\$ 259.87					21,6kW: Ø3,4 mm	UG71511
																	28,8kW: Ø3,75 mm	UG71611	\$ 16.36
																	36kW: Ø4 mm	UG71711	

																							
Steam brush w/bristles				Window cleaner with diffuser				Flat nozzle 1cm				Stainless steel flat nozzle with scraper				Stainless steel brush T50				Stainless steel floor scrubber brush			
250mm	7000252V1	\$ 643.26	7002512	\$ 362.54	UG00052	\$ 29.84	7000012	\$ 174.85	1207003	\$ 42.99	1200002	\$ 232.60											
350mm	7000352V1	\$ 684.97	7003512	\$ 399.43																			
450mm	7000452V1	\$ 721.86	7004512	\$ 437.93																			

Radames 10bar - Steam & vacuum

Radames hose		CODE	PRICE
	4m	RW04BG6	\$ 1,432.49
	8m	RW08BG6	\$ 1,928.17
	12m	RW12BG6	\$ 2,419.04
			
Steam & vacuum turbo lance			
10,8 kW: Ø2,5 mm	71072G4	\$ 157.21	
14,4kW: Ø 2,9 mm	71073G2		
21,6kW: Ø3,4 mm	71074G2		
28,8kW: Ø3,75 mm	71075G2		
36kW: Ø4 mm	71076G2		

KIT - cod. KRAT00				\$ 628.82			
							
Extension tube L.480mm - 2pcs		Floor tool		Squeegee/squeegee insert L.375mm		Squeegee/brush insert L.375mm - 2pcs	
71030G4	\$ 126.73 each	71040G4V1	\$ 234.20	510410	\$ 47.48	510420	\$ 47.48 each
							
Brass brush Ø28		Stainless steel brush Ø28		Stainless steel brush Ø60		Steel wool pad	
120717	\$ 11.55	120709	\$ 11.55	120727	\$ 15.88	120712	\$ 8.82
							
Steam & vacuum industrial brush L.530mm				Stainless steel upholstery tool			
7104005		\$ 648.07		61002A2V1		\$ 304.79	

Steam Box Vac Industrial

kW 11 17,8 21,8 31,4 38,6



Steam cleaner

Boiler	Stainless steel AISI 304 with interchangeable heating element					
Body	Stainless steel AISI 304 BA					
Power supply	V - Hz	3~400 - 50/60				
Boiler output	kW/h	10,8	14,4	21,6	28,8	36
Maximum output	kW/h	11	17,8	21,8	31,4	38,6
Boiler volume	l	11	12	13		
Operating pressure	bar	10				
Water tank	l	20				
Detergent tank	l	20				
Steam production	g/min	291	388	582	776	970
	Kg/h	17,5	23	35	46,5	58
Steam T°	° C	183				

Vacuum cleaner

Power output	kW/h	2,4
Drum capacity	l	25
Air flow	m3/h	320
Depression	mm	3200

Various

Weight	Kg	113
Power cable	m	8
Machine dimensions	cm	H.143,8 x L.53 x W. 82,5
Pallet dimensions	cm	115x65x125
Quantity pallet/unit	pcs	1



Technical features



Operating pressure
10 bar



Water mains
connection



Water tank



Detergent tank



Automatic water
refilling



Detergent injection



Overheated water
injection



Vacuum cleaner
with 2 motor



Control panel



Boiler cleaning
signal

Pricelist

Steam cleaner

kW	CODE	PRICE
10,8 ^{kW}	5H05F10	\$ 15,001.89
14,4 ^{kW}	5H04F10	\$ 16,777.67
21,6 ^{kW}	5H03F10	\$ 19,644.27
28,8 ^{kW}	5H02F10	\$ 24,368.45
36 ^{kW}	-	\$ 29,074.99

Vacuum cleaner

kW	CODE	PRICE
2 ^{kW} w/drain hose	ASP242C	\$ 1,775.78

Accessories

Geyser 1:10bar - Steam Remember to apply the accessories on the nozzle and not directly on the lances to limit the pressure drop.

Geyser hose			CODE	PRICE	Geyser lances			CODE	PRICE	Geyser nozzles			CODE	PRICE
	5m	GE1H050	\$ 1,371.54			100mm	7100011	\$ 105.87						
	8m	GE1H080	\$ 1,653.87			400mm	7100111	\$ 144.37			10,8 kW: Ø2,5 mm	UG71311		
	10m	GE1H100	\$ 1,831.93			800mm	7100121	\$ 178.06			14,4 kW: Ø2,9mm	UG71411		
	15m	GE1H150	\$ 2,297.12			1200mm	7100131	\$ 259.87			21,6kW: Ø3,4 mm	UG71511	\$ 16.36	
											28,8kW: Ø3,75 mm	UG71611		
										36kW: Ø4 mm	UG71711			

															
Steam brush w/bristles			Window cleaner with diffuser			Flat nozzle 1cm		Stainless steel flat nozzle with scraper		Stainless steel brush T50		Stainless steel floor scrubber brush			
250mm	7000252V1	\$ 643.26	7002512			\$ 362.54		UG00052	\$ 29.84	7000012	\$ 174.85	1207003	\$ 42.99	1200002	\$ 232.60
350mm	7000352V1	\$ 684.97	7003512			\$ 399.43									
450mm	7000452V1	\$ 721.86	7004512			\$ 437.93									

Radames 10bar - Steam & vacuum

Radames hose		CODE	PRICE	KIT - cod. KRAT00 \$ 628.82							
	4m	RW04BT3	\$ 1,432.49								
	8m	RW08BT3	\$ 1,928.17	Extension tube L.480mm - 2pcs		Floor tool		Squeegee/squeegee insert L.375mm		Squeegee/brush insert L.375mm - 2pcs	
	12m	RW12BT3	\$ 2,419.04	71030G4	\$ 126.73 each	71040G4V1	\$ 234.20	510410	\$ 47.48	510420	\$ 47.48 each
	Steam & vacuum turbo lance										
				Brass brush Ø28		Stainless steel brush Ø28		Stainless steel brush Ø60		Steel wool pad	
				120717	\$ 11.55	120709	\$ 11.55	120727	\$ 15.88	120712	\$ 8.82
	10,8 kW: Ø2,5 mm			71072G4							
	14,4kW: Ø 2,9 mm			71073G2							
21,6kW: Ø3,4 mm			71074G2								
28,8kW: Ø3,75 mm			71075G2								
36kW: Ø4 mm			71076G2								
			\$ 157.21								
					Steam & vacuum industrial brush L.530mm		Stainless steel upholstery tool				
					7104005		\$ 648.07		61002A2V1		
									\$ 304.79		

Steam Box Industrial

kW 11 14,6 21,8 29 36,2



Steam cleaner

Boiler	Stainless steel AISI 304 with interchangeable heating element					
Body	Stainless steel AISI 304 BA					
Power supply	V - Hz	3 ~ 400 - 50/60				
Boiler output	kW/h	10,8	14,4	21,6	28,8	36
Maximum output	kW/h	11	14,6	21,8	29	36,2
Boiler volume	l	11	12	13		
Operating pressure	bar	10				
Water tank	l	20				
Detergent tank	l	20				
Steam production	g/min	291	388	582	776	970
	Kg/h	17,5	23	35	46,5	58
Steam T°	°C	183				

Various

Weight	Kg	96 (mod.36kW)
Power cable	m	8
Machine dimensions	cm	H.110 x L.53 x W. 82,5
Pallet dimensions	cm	115x65x125
Quantity pallet/unit	pcs	1



Technical features



Operating pressure
10 bar



Water mains
connection



Water tank



Detergent tank



Automatic water
refilling



Detergent injection



Overheated water
injection



Control panel



Boiler cleaning
signal

Pricelist

kW	CODE	PRICE
10,8 kW	5H05010	\$ 15,001.89
14,4 kW	5H04010	\$ 16,777.67
21,6 kW	5H03010	\$ 19,644.27
28,8 kW	5H02010	\$ 24,368.45
36 kW	5H01010	\$ 29,074.99

Accessories

Steam Box Industrial can be used with these accessories

Geyser 1:10bar - Steam Remember to apply the accessories on the nozzle and not directly on the lances to limit the pressure drop.

Geyser hose			CODE	PRICE	Geyser lances			CODE	PRICE	Geyser nozzles		CODE	PRICE	
	5m	GE1H050	\$ 1,371.54		100mm	7100011	\$ 105.87							
	8m	GE1H080	\$ 1,653.87		400mm	7100111	\$ 144.37		10,8 kW: Ø2,5mm	UG71311				
	10m	GE1H100	\$ 1,831.93		800mm	7100121	\$ 178.06		14,4 kW: Ø2,9mm	UG71411				
	15m	GE1H150	\$ 2,297.12		1200mm	7100131	\$ 259.87		21,6kW: Ø3,4mm	UG71511				
									28,8kW: Ø3,75mm	UG71611				
									36kW: Ø4mm	UG71711				
\$ 16.36														
														
Steam brush with bristles		Window cleaner with diffuser		Flat nozzle 1cm		Stainless steel flat nozzle with scraper		Stainless steel brush T50		Stainless steel floor scrubber brush		Geyser/July adapter (to be used with July 10 bar accessories)		
250mm	7000252V1	\$ 643.26	7002512	\$ 362.54	UG00052	\$ 29.84	7000012	\$ 174.85	1207003	\$ 42.99	1200002	\$ 232.60	5107520	\$ 115.50
350mm	7000352V1	\$ 684.97	7003512	\$ 399.43										
450mm	7000452V1	\$ 721.86	7004512	\$ 437.93										

Water softener kit for installation on the steam cleaner



Stainless-steel holders + liter counter + cartridge with resins*

*for consumption up to 800 liters

KFL0019	\$ 619.20 net price
---------	---------------------

Other water softeners are available at page 159 of the TOOLS PRICELIST

Steam Box Mini 8bar

kW 3,75



Steam

Steam cleaner

Boiler	Stainless steel AISI 304 with interchangeable heating element	
Body	Stainless steel AISI 304 BA	
Power supply	V - Hz	1 ~ 230 - 50/60 3~400 - 50/60
Boiler output	kW/h	3,6
Maximum output	kW/h	3,75
Boiler volume	l	5
Operating pressure	bar	8
Water tank	l	7,5
Detergent tank	l	7,5
Steam production	g/min	97
	Kg/h	5,9
Steam T°	° C	174

Various

Weight	Kg	30
Power cable	m	8
Machine dimensions	cm	H.106 x L.41,2 x W. 66
Box dimensions	cm	50x40x80
Quantity pallet/unit	pcs	4 8



Technical features



Operating pressure
8 bar



Water mains connection



Water tank



Detergent tank



Automatic water refilling



Detergent injection



Overheated water injection*



Control panel



Boiler cleaning signal

Pricelist

Steam cleaner: Single-phase

kW	CODE	PRICE
	3127080	\$ 5,495.78
3,6 kW	3H27080 w/overheated water injection	\$ 5,925.68



Steam cleaner: Three-phase

kW	CODE	PRICE
	310708R	\$ 5,495.78
3,6 kW	3H0708R w/overheated water injection	\$ 5,925.68



Accessories

Steam Box Mini 8bar can be used with these accessories

July 6 bar - Steam



	COD.	PRICE
Kit with 3m hose w/ overheated water injection	KJG000V1 + JW03A00	\$ 495.68
Kit with 3m hose	KJG000V1 + JD03A00	
Kit with 5m hose w/ overheated water injection	KJG000V1 + JW05A0F	\$ 551.82
Kit with 5m hose	KJG000V1 + JD05A0F	

Steam Mop - Steam



	COD.	PRICE
Mop 5 m	7D05000	\$ 583.91
Mop 10m	7D10000	\$ 643.26
Microfiber cloth L.400mm	7000055	\$ 10.75
Cotton/polyester cloth L.400mm	7000065	\$ 10.43

Evo 304 24/7

kW **2,45**



Steam cleaner

Boiler	Stainless steel AISI 304 with interchangeable heating element	
Body	Stainless steel AISI 304 BA	
Power supply	V - Hz	1 ~ 230 - 50/60
Boiler output	kW/h	2,4
Maximum output	kW/h	2,45
Boiler volume	l	1,5
Operating pressure	bar	8
Water tank	l	3
Steam production	g/min	64
	Kg/h	3,8
Steam T°	° C	174

Various

Weight	Kg	16
Power cable	m	5
Machine dimensions	cm	H.32,6 x L.27,8 x W. 43,6
Box dimensions	cm	53 x 40 x 52
Quantity pallet/unit	pcs	24



Technical features



Operating pressure
8 bar



Water tank



Automatic
water refilling



Control
panel



Boiler cleaning
signal

Pricelist

kW	CODE	PRICE
2,45 kW	ER3208I	\$ 1,884.86



JULY tools	CODE	PRICE
3m hose	JV03A00	\$ 176.46
Kit accessories	KJG000V1	\$ 319.22

Standard configuration

Evo 304 24/7 + Kit & hose July

ERB208I

\$ 2,380.54

Accessories

Evo 304 24/7 can be used with these accessories

Steam /Mop - Steam

		CODE	PRICE
	Mop 5 m	7005000	\$ 583.91
	Mop 10m	7010000	\$ 643.26
	Microfiber cloth L.400mm	7000055	\$ 10.75
	Cotton/polyester cloth L.400mm	7000065	\$ 10.43

Various



Steam/air vaporizer deluxe

1209956

\$ 97.85

Trolleys



Arena

CRA0013

\$ 399.43



Arena Plus

CRAP013

\$ 530.97



Antares

CR00019

\$ 505.30

PRODUCTS

Special models



Steam Sky



Steam

kW 40

- DESIGNED FOR SIMULTANEOUS USE WITH 2 OPERATORS
- integrated water filter system with automatic filter regeneration

Steam cleaner

Boiler	Stainless steel AISI 316 L with interchangeable heating element	
Body	Stainless steel AISI 304 BA	
Power supply	V - Hz	1 ~ 230 - 50/60
Maximum output	Kcal/h	35.000
Boiler volume	l	10,7
Operating pressure	bar	10
Diesel consumption	l/h	4
Energy consumption	W	450
Water tank	l	35
Detergent tank	l	15
Diesel tank	l	18
Steam production	g/min	916
	Kg/h	55
Steam T°	° C	183

Various

Weight	Kg	220
Power cable	m	8
Machine dimensions	cm	H.107,9 x L.121,6 x W. 68,7
Pallet dimensions	cm	120x80x100
Quantity pallet/unit	pcs	1



FEATURES



Operating pressure
10 bar



Two steam outlets



Water mains connection



Water tank



Detergent tank



Diesel tank



Automatic water refilling



<detergent injection



Overheated water injection



Control panel



Boiler cleaning signal

Pricelist

Standard configuration

Steam Sky

7W01010

\$ 18,712.26

Geyser hose 8m

7108W12



Optional

code

price

INVERTER
12V DC 230V AC 1000W

PE71223

\$ 1,806.26

Accessories

Steam Sky can be used with these accessories

Geyser 1-10bar - Steam Remember to apply the accessories on the nozzle and not directly on the lances to limit the pressure drop.

Geyser hose				Geyser lances				Geyser nozzles				
		CODE	PRICE			CODE	PRICE			CODE	PRICE	
	5m	7105W12	\$ 1,371.54		100mm	7100011	\$ 105.87		40kW: Ø4 mm	UG71711	\$ 16.36	
	8m	7108W12	\$ 1,653.87		400mm	7100111	\$ 144.37					
	10m	7110W12	\$ 1,831.93		800mm	7100121	\$ 178.06					
	15m	7115W12	\$ 2,297.12		1200mm	7100131	\$ 259.87					
												
Steam brush w/bristles				Window cleaner with diffuser				Stainless steel flat nozzle with scraper				
250mm	7000252V1	\$ 643.26	7002512	\$ 362.54	UG00052	\$ 29.84	7000012	\$ 174.85	1207003	\$ 42.99	1200002	\$ 232.60
350mm	7000352V1	\$ 684.97	7003512	\$ 399.43								
450mm	7000452V1	\$ 721.86	7004512	\$ 437.93								
												
Stainless steel floor scrubber brush				Stainless steel brush T50				Stainless steel floor scrubber brush				

Hydrobox

kW 10,5 15,9



- direc water mains connections.
- possibility to set the desired water temperature from 20°C to 90°C.
- analogic pressure gauge.
- electric command console with timer and thermometer.
- the digital display will advise the user about the necessity to proceed with the boiler maintenance.

Boiler	Stainless steel AISI 304 with interchangeable heating element		
Body	Stainless steel AISI 304 BA		
Power supply	V - Hz	3~400 - 50/60	
Boiler output	kW/h	9,0	14,4
Maximum output	kW/h	10,5	15,9
Boiler volume	l	5	
Operating pressure	bar	from 0 to 150	
Water flow	l/min	2	4
Water T°	° C	from 20 to 90	

Various

Weight	Kg	57
Power cable	m	8
Machine dimensions	cm	H.99 x L.66 x W. 40,8
Box dimensions	cm	53 x 40 x 52
Quantity pallet/unit	pcs	8



Technical features



Water mains
Connection



Water temperature
Regulation



Water pressure
Regulation



Control
Panel



Boiler cleaning
Signal

Pricelist

Standard configuration

Hydrobox 4 L/min
complete with 10m hose, 900mm lance & nozzle

H40040C

\$ 12,528.31

Accessories

Hydrobox can be used with these accessories

High pressure water hose



	CODE	PRICE
10m	H0SG10C	\$ 381.78
15m	H0SG15C	\$ 433.12

High pressure water lances



	CODE	PRICE
500mm	HL0500R	\$ 62.88
700mm	HL0700R	\$ 72.83
900mm	HL0900R	\$ 78.60
1200mm	HL1200R	\$ 93.04

Nozzles



2 l/min.		4 l/min.	
HUG0200	\$ 31.60	HUG0000	\$ 31.60